Viano Company Profile



Name: Anhui Viano Water Purification Technology CO., Ltd.

Located In Hefei, Anhui Province, China

Established: In 2007.

Business: OEM/ODM Manufacturer & Exporter Of All Kinds Of Water Purifiers.

Infrastructure: 1. 36000 m² production line Factory.

- 2. Moulding Workshop.
- 3. Metal Forming Workshop.
- 4. Plastic Injection Molding Machining Workshop.
- 5. 6 Assembly Lines.
- 6. R&D Center.
- 7. Performance Testing Room.
- 8. Showroom.

Supplying Capacity: Annually Up To 700,000 pieces

Certificated: Decades Patents; SO9001, ISO14001, QHSAS18001, CCC, CE, CB,ROHS, SASO, etc.

All Products Are Insured By PICC











Enterprise culture

Mission: Become Professional OEM/ODM Supplier

VALUE: Innovation; Quality; High Performance-price Ratio

VISION: From Cooperation To Win-Win

Our development history

- 2016 We have our own import& export right.
- 2015 May Start Office automation & ERP programs
- April Certificated by QHSAS 18001
- March Factory Building Finishd.
- 2014 October 10,000 square meters new factory building project starts
- Agust Donate Water purified products to Ludian earthquack zone.
- July China drinking water specialist vist Viano
- March 5,000sqaure meters waterhouse building finished
- 2013 June Established Wide& Long-term Business relationship with domestic famous companies, and annual supplying is up to 170,000 pieces.
- May the second factory starts productions

Our development history

- 2011 March First factory starts productions and annual is up to 100,000 pieces.
- 2010 December certificted CCC
- Aguest OEM division was established.
- 2007 Viano is founded.

Our market

- Our mainly market is USA, India, Southeast, Korea, Africa, Middle East and the most of Countries of one belt, one road.
- Till now we have over 500 customers in the world
- Every day we can produce over 400 sets water purifiers, every month, we will export 1000 sets countertop to USA market.
- Every month, we will sell over 2000 sets ice, hot water purifiers.

Our customers'visting










Construction



company qualification certificate

















Keep improving and practice craftsman spirit. Viano constantly improves and enhances the internal qualification management to promote the comprehensive and healthy development of the enterprise.

company patents wall



We should make great efforts to develop and innovate. In terms of technology patents, Viano always regards the enhancement of independent innovation ability as the key to the development of the enterprise, and constantly improves the core competitiveness of the company

Product series

- UF Filter
- Ro Cabinet Water Purifier
- Ro heating series
- Undersink RO water Purifier(included steel bracket series)
- RO Cabinet big flow
- RO built-in cabinet
- RO countertop series
- Accseeories



WYN-UF702

- * Tempered glass panel, can be designed with different decorative effects
- ※Ultra-thin body of machine and its design,
- XOne-piece UF membrane design, easy to use and maintain



WYN-UF402

plastic panel, can design different decorative effects **XUItra-thin body design, with transparent visual** window;

Product size (MM): 358*145*350 "*350



WYN-UF909

- ★ sealed cuboid structure design, ultra-thin size
- *Toughened glass panel ,can fully meet the needs of personalized home design
- ※ Internal vertical filter element structure, better water purification effect
- Product size (MM): 330*190*440



WYN-R0911

- ☆ Closed box structure design, ultra-thin size
- *Toughened glass panel can fully meet the needs of personalized home design
- ※ Hidden water inlet and outlet design on the back,
- Product size (MM): 355*148*395



WYN-UF51

- * The upper cover isadopted imported high-precision ABS injection molding
- *Super large filter design, the water purification flow is 2-3 times than ordinary water purifiers
- X No need to use electricity, manual waste water discharge, water saving and energy saving
- ※ Five-stage filtration to ensure healthy and clean water quality and retain beneficial minerals
- Product size (MM): 360*130*375



WYN-RO301

Technical parameters:

Voltage: 220V~

Frequency: 50Hz

Purifying Capacity:30W

Water Pressure: 0.1-0.3MPa

Purifying Capacity: 7.8L/h

Raw Water: Civil Taping Water

Size :475x140x373mm

Cartridges: PP+UDF+PP+RO+T33

Feature:

1. 10" Standard Cartridges With Upper Turing Lid.

2. Buckled Tempered Glass Panel, More DIY Design And Style.

3. 400G Purifying Capacity; Massive Flowing Water.

4. Non-Storage Tank To Save More Space.

5. Double Testing: Air Pressure And 0.8Mpa Water Pressure To Guarantee Quality.

6. Imported Active Carbon With High Adsorption, Iodine Value More Than 1000.



WYN-RO401

Technical parameters:

Voltage: 220V~

Frequency: 50Hz

Purifying Capacity:30W

Water Pressure: 0.1-0.3MPa

Purifying Capacity: 7.8L/h

Raw Water: Civil Taping Water

Size:478x118x335mm

Cartridges: PP+UDF+PP+RO+T33

Feature:

- 1. Magnet-hook Design To Remain Portable
- 2. Super Thin Cabinet; Visible Front.
- 3. Separation Between Water & Electricity; Remain Safer.
- 4. Tempered-glass Panel, Stay Up-to-date Style.
- 5. Double Testing: Air Pressure And 0.8Mpa Water Pressure To Guarantee Quality
- 6. Imported Active Carbon With High Adsorption, Iodine Value More Than 1000



WYN-RO501 Technical parameters:

Voltage: 220V~

Frequency: 50Hz

Purifying Capacity:30W

Water Pressure: 0.1-0.3MPa

Purifying Capacity: 7.8L/h

Raw Water: Civil Taping Water

Size: 315x145x425mm

Cartridges: PP+UDF+PP+RO+T33

Feature:

- 1. Magnet-hook Design For Convenience To Maintenance.
- 2. ABS Plastic Panel+AS Visible Panel
- 3. Super Thin Cabinet
- 4. Built-in Controlling Operation Panel With Displaying Lifetime Of Cartridges.
- 5. Double Testing: Air Pressure And 0.8Mpa Water Pressure To Guarantee Quality
- 6. Imported Active Carbon With High Adsorption, Iodine Value More Than 1000



WYN-RO505

- XToughened glass panel design, is more high-end, fashionable and elegant;
- *The external 10-cun pretreatment filter element is more user-friendly for maintenance and replacement
- XIntelligent integrated computer board control, real-time reminder of running status;
- *Beautiful design, can be installed on the wall or desktop;
- Product size (MM): 470*140*370



WYN-RO601

Technical parameters:

Voltage: 220V~

Frequency: 50Hz

Purifying Capacity:24W-40W

Water Pressure: 0.1-0.4MPa

Purifying Capacity: 7.8L/h - 15.6L/h

Raw Water: Civil Taping Water

Size:490x165x395mm

Cartridges: PP+UDF+PP+RO+T33

Features:

1. 10" Standard Cartridges.

2. 5 Stages Cartridges With Lids

3. Tempered-glass Panel; Stay Up-to-date Style.

4. Separation Between Water & Electricity; Remain Safer.



WYN-RO602

Technical parameters:

Voltage: 220V~

Frequency: 50Hz

Purifying Capacity :24W-75W

Water Pressure: 0.1-0.3MPa

Purifying Capacity: 7.8L/h - 63L/h

Raw Water: Civil Taping Water

Size:470x140x370mm

Cartridges: PP+UDF+PP+RO+T33


Features:

1. 10" Standard Cartridges.

2. Front Side Curved.

3. Visible Front.

4. Separation Between Water & Electricity; Remain Safer.



WYN-RO603

Technical parameters:

Voltage: 220V~

Frequency: 50Hz

Purifying Capacity:24W-40W

Water Pressure: 0.1-0.4MPa

Purifying Capacity: 7.8L/h - 15.6L/h

Raw Water: Civil Taping Water

Size:495x145x388mm

Cartridges: PP+UDF+RO+CTO

Features:

- 1. 10" Standard Cartridges.
- 2. 4 Stages Cartridges With Lids
- 3. Tempered-glass Panel; Stay Up-to-date Style.
- 4. Separation Between Water & Electricity; Remain Safer.

Product series-RO heating series



WYN-RO-6-R

One set is equal to six sets, integrating reverse osmosis filtration, ice water and hot water; fully new buckle + magnetic buckle panel, backside detachable maintenance window, convenient maintenance;

Built- in 6L super large volume water purification tank ,to meet demanding of super large water ;

External five rating filter element makes ,maintenance and replacement more humanized; Double float switch, low water level to prevent dry burning without water; high water level to prevent overflow;;

touch -controlling one button to start heating and inlet water control, highlighting human-computer interaction experience;

We have ultra membrane and reverse osmosis membrane.

Product series-RO heating series



WYN-RO-5-R

- *Small machine with great function, integrating reverse osmosis filtration and heating drinking water;
- * fully new buckle + magnetic buckle type panel, detachable repair visional window on the back, convenient for maintenance;
- ※Built-in 6L super large volume water purification tank to meet the super large water demand;
- *The external 10 cun first three-stage pretreatment filter element makes maintenance and replacement more user-friendly;
- ☆Double float switch, low water level prevents dry burning without water; high water level prevents overflow
- Xtouch controlling type One-touch start heating, high-end push-type faucet;
- Beautiful design, can be installed on the wall or desktop;
- Product size (mm): 490*170*410

Product series-RO heating series



WYN-RO905

- ☆ Integrate filtration, heating and health pots
- An external independent heating kettle ,prevents thousands of boiling water,
- ☆ Intelligent control, simple working status display, clear and easy to understand
- ☆ Suitable for multi-channel and diversified sales models
- ☆ Top-drawing integrated filter element, built-in food-grade water tank



WYN-RO711

integrated water circuit panel designing ,
 eliminate leakage hidden trouble and risk
 400—600GLarge flux outputing water, to meet users'

request of instantaneous demanding water * healed computer panel designing , with the function of indication the life of filter core * super large PC transparent panel, super large touch-controlling type operation panel, more user-friendly

☆Innovative filter bottle with unique style, high resistant pressure



WYN-RO511

X One body integrated waterway board design, avoiding leakage hidden trouble and risk

*healed type computer panel designing , with the indicated function of filter core life*European design style, fashionable and

European design style, fashionable and elegant

※Innovative filter bottle with unique style, high resistant pressure



WYN-RO512

One-piece integrated waterway board design, avoids water leakage hazards and risks

Hidden computer version design, with filter element life reminding function Touch control operation panel, more user-friendly

Unique and innovative filter bottle, high pressure resistance
Super large PC transparent panel, super

Super large PC transparent panel, super large screen

Product size (mm): 365*225*450



WYN-RO513

- ※ One body integrated waterway board design, avoiding leakage hidden trouble and risk
- *High transparent light curved surface AS decorative board, highlighting product characteristics
- *Hidden meter LED intelligent integrated computer version control system, the life of the filter element expires
- Xtouch-controlling operation panel ,more humanrization



- WYN-RO515
- X Viano unique innovative one body integrated water circuit board designing ,avoid leaking water hidden danger and risk
- ※Hidden meter LED intelligent integrated computer version control system, the life of the filter element expires
- Xhuman and machine interactive interface, working state at a glance.
- **High light transmittance surface PC decorative board, fully sealed cover, highlight product characteristics
- *touch-controlling operation panel ,more humanrization
- 💥 dimension (mm) : 378*204*449

- BARE MACHINE
- 🔆 dimension (MM) : 380*220*452
- ×570*390*315mm
- %net/gross weight : 12kg / 14kg





WYN-RO512

Technical parameters:

Voltage: 220V~

Frequency: 50Hz

Power:30W

Water Pressure: 0.1-0.3MPa

Purifying Capacity: 7.8L/h

Raw Water: Civil Taping Water

Size:365x225x450mm

Cartridges: PP+UDF+PP+RO+T33

Feature:

- 1. Integrated Design To Avoid Potential Dangers Resulting From Water Leakage
- 2. Built-In Controlling Plate Displaying Cartridge Life And Smart Flushing
- 3. Full Screen Displaying
- 4. Double Testing: Air Pressure And 0.8Mpa Water Pressure To Guarantee Quality
- 5. Imported Active Carbon With High Adsorption, Iodine Value More Than 1000



WYN-RO908

"1. 400G products:

Delta 300G booster pump, Guan Yuda 3.0A external transformer, Kebo 800CC waste water valve, GE400G membrane

2. 600G products:

Delta 400G booster pump, Guan Yuda 4.0A external transformer, Kebo 800CC waste water valve, GE600G membrane"



WYN-RO901

1. 400G products:

Delta 300G booster pump, Guan Yuda 3.0A external transformer, Kebo 800CC waste water valve, GE400G membrane

2. 600G products:

Delta 400G booster pump, Guan Yuda 4.0A external transformer, Kebo 800CC waste water valve, GE600G membrane



WYN-RO902

1. 400G products:

Delta 300G booster pump, Guan Yuda 3.0A external transformer, Kebo 800CC waste water valve, GE400G membrane

2. 600G products:

Delta 400G booster pump, Guan Yuda 4.0A external transformer, Kebo 800CC waste water valve, GE600G membrane



WYN-RO801

1. 400G products:

Delta 300G booster pump, Guan Yuda 3.0A external transformer, Kebo 800CC waste water valve, GE400G membrane

2. 600G products:

Delta 400G booster pump, Guan Yuda 4.0A external transformer, Kebo 800CC waste water valve, GE600G membrane



WYN-RO801 black color

1. 400G products:

Delta 300G booster pump, Guan Yuda 3.0A external transformer, Kebo 800CC waste water valve, GE400G membrane

2. 600G products:

Delta 400G booster pump, Guan Yuda 4.0A external transformer, Kebo 800CC waste water valve, GE600G membrane



WYN-RO903

1. 400G products:

Delta 300G booster pump, Guan Yuda 3.0A external transformer, Kebo 800CC waste water valve, GE400G membrane "%Small machine with great functions, with a 10-cun standard pre-filter with a screw cap, the purification effect is stronger;

- * fully new buckle + magnetic buckle type panel, detachable repairvisional window on the back, convenient for maintenance;
- *The external 10-cun five-stage filter element is more user-friendly for maintenance and replacement
- XIntelligent integrated computer board control, real-time reminder of running status;
- \[
 \times Toughened glass panel design is more fashionable and elegant;
 \]
- ※Beautiful design, can be installed on the wall or desktop;
- Product size (MM): 490*165*395"



WYN-RO907

1. 400G products:

Delta 300G booster pump, Guan Yuda 3.0A external transformer, Kebo 800CC waste water valve, GE400G membrane

2. 600G products:

Delta 400G booster pump, Guan Yuda 4.0A external transformer, Kebo 800CC waste water valve, GE600G membrane



WYN-RO415

- **400G super large water output, massive pure water, rest assured to enjoy;
- ※No pressure barrel, quick installation, eliminate hidden dangers, and prevent secondary pollution;
- instant making instant using, drink fresh running freely water to prevent water retention/stagnation;
- * LED intelligent integrated computer version, real-time reminding running status;
- * The whole machine adopts high-grade food-grade materials, professionally cares for human health;
- Product size (mm): 490*288*410"

Product series-RO built-in cabinet



WYN-RO604A

- *#fully new buckle + magnetic buckle type panel, detachable repair visual window on the back, convenient for maintenance;
- *The external five-stage filter element makes maintenance and replacement more user-friendly;
- ※No pressure barrel, quick installation, eliminate hidden dangers, and prevent secondary pollution;
- *Ready to use, drink fresh running water freely to prevent water retention/stagnation;
- Product size (mm): 495*200*388

Product series-RO built-in cabinet



RO built-in cabinet

- "☆ Built-in 7L sterile water purification tank, saving time and worry;
- ☆ Side display structure design, high-end easy to identify;
- ☆ Intelligent reminder for filter replacement, safer and more worry-free;
- ☆ Built-in UV sterilization in the water tank, water quality is safer;



2018 annual series products

*Rare earth thick membrane heating technology, 3 seconds instant hot, and the water is stable;

★Separation of water and electricity, stable energy saving, safe and worry-free;

*4 steps non-polar temperature adjustment, drink good water;

※Plug-in filter element, two simple steps, independent DIY and easy replacement of the element;

Product size (mm): 187*385*406



WYN-RO905

☆ Integrate filtering, heating, and health-preserving pot; ☆ An external independent heating kettle prevents thousands of boiling water,

☆ Intelligent control, simple working status display, clear and easy to understand

☆ Suitable for multi-channel and diversified sales mode☆ Top-drawing integrated filter element, built-in food-

grade water tank Customer model: YR1931-RO Applicable water source: municipal tap water Applicable water pressure: 0.1MPa~0.4MPa Applicable water temperature: 5°C ~ 38°C

Applicable ambient temperature: 4°C ~ 40°C (indoor)

Applicable relative humidity: ≤90% at 25°C Rated voltage/power: 220V~/ 1230W

Water treatment process: PP5 +CTO + +PP1+RO+composite filter element (CTO+PP)

Purified water flow: ≥0.19L/min Rated total water purification: 2100L

Desalination rate: ≥92% Machine noise: ≤50db

Type of protection against electric shock: Class I



WYN-ZO-903

*Rare earth thick film heating technology, which instant hot in 3 seconds, and the water output is stable;

★Separation of water and electricity, stable energy saving, safe and worry-free;

*4 steps stepless temperature adjustment, drink good water;

※Plug-in filter element, two simple steps, independent DIY and easily replacing the element;

Product size (mm): 187*385*406



WYN-ROZ902

- *Rare earth thick film heating technology, instant hot in 3 seconds, and the water output is stable;
- ☆Separation of water and electricity, stable energy saving, safe and worry-free;
- *4 steps stepless temperature adjustment, drink good water;
- ※Plug-in filter element, two simple steps, independent DIY and easily replacing element;
- Product size (mm): 187*385*406



RO Presentation Machine

Technical parameters:

Visible Acrylic+Cartridge For Presentation

Thick Panel, Big Size For Presentation

Mechanizing Cutting & Welding

Massive Volume Of Water To Satisfy Requirements Of Presentations.



RO Presentation Machine-Portable

Technical parameters:

Visible Acrylic+Cartridge For Presentation

Thick Panel, Big Size For Presentation

Mechanizing Cutting & Welding

Massive Volume Of Water To Satisfy Requirements Of Presentations.



Aluminum Kit

Technical parameters:

23 Kinds Of Tools, Various & Complete

Case Made Of Al For Taking Portable

Whole Tools For Checking, Installation, Repairing.



Plastic Kit

Technical parameters:

23 Kinds Of Tools, Various & Complete

Case Made Of Plast For Taking Portable

Whole Tools For Checking, Installation, Repairing.



Experimenting Tool

Technical parameters:

Final End Product

5" Visible Cartridge House To Present Purifying Processes

Quick-connection Tape Transformer.

Counter-top Design.



Self-suction Head

Technical parameters:

Product series-tools

Accurate S.S Sieve

360° Sealed.



PP filter

Model No.	Height	D1 (inner)	D2(outer)	Packing Dimension
WYN-PP5A	5 inch	28mm	63mm	33*33*52cm/100pcs
WYN-PP5B	5 inch	28mm	63mm	33*33*52cm/100pcs
WYN-PP8A	8 inch	24mm	38mm	21*21*42cm/50pcs
WYN-PP9A	9 inch	20.5mm	45mm	25*25*47cm/50pcs
WAYN DD10D	10 inch	28mm	60mm	31*31*52cm/50pcs
WYN-PP10D	10 inch	28mm	63mm	33*33*52cm/50pcs
WYN-PP10A	10 inch	28mm	51mm	27*27*52cm/50pcs
WYN-PP10B	10 inch	28mm	55mm	28.5*28.5*52cm/50pcs
WYN-PP10C	10 inch	28mm	60mm	31*31*52cm/50pcs
WIN-PPIUC	10 inch	28mm	63mm	33*33*52cm/50pcs
WYN-PP20A	20 inch	28mm	55mm	33*33*52cm/25pcs
WIN-PPZUA	20 inch	28mm	63mm	33*33*52cm/25pcs
WYN-PP20L	20 inch	28mm	114mm	33*33*52cm/10pcs
WYN-PP10L	20 inch	28mm	114mm	36*24*52cm/12pcs



granular activiated carbon filter

Model No.	D1	D2	Packing Dimension
WYN-GAC20A	28mm	114mm	37*37*53cm /25pcs
WYN-GAC10A	28mm	71mm	37*37*53cm/50pcs
WYN-GAC5A	28mm	114mm	37*37*53cm/100pcs
WYN-GAC20L	28mm	71mm	36*24*53cm/6pcs
WYN-GAC10L	28mm	71mm	36*24*53cm/12pcs
WYN-PC10	28mm	63mm/71mm	37*37*53cm/50pcs

activated carbon filter



Model No.	D1	D2	Packing Dimension
WYN-CTO20L	28mm	114mm	36*24*53cm/6pcs
WYN-CTO20B	28mm	71mm	37*37*53cm/25pcs
WYN-CTO10L	28mm	114mm	36*24*53cm/12pcs
WYN-CTO10A	28mm	71mm	37*37*53cm/50pcs
WYN-CTO10B	28mm	71mm	37*37*53cm/50pcs
WYN-CTO10C	28mm	71mm	37*37*53cm/50pcs
WYN-CTO10D	28mm	60mm	
WYN-CTO10E	28mm	71mm	37*37*53cm/50pcs

In-line Filter Cartridge



In-line Filter Cartridge

In-line filter cartridge can make better filtration efficiency and convenient installation. The design of 2.5 & 2 lnch diameter and 12 & 10 lnch length appropriately lay much emphasis on two main points-various filter media to treat with different water treatment status. The filter media include: coconut shell activated ball, aluminate, activated

max water flow in: 1.G P M(3.79LPM)

In/out water port: 1/4NPT

Max inlet water temperature: 52 degree centigrade.

Max working pressure: 125psi

Ultra-filter cartridge



Ultra-Filter Cartridge

The ultra filter cartridge is made up of the fabric, and the water filtration precision is less than 0.22 micron. It can remove the particles, organic, bacteria etc, It is easy to install and operate. This cartridge can be made according to your demand. UF filter cartridge can be used in any 10' normal water filter housing. UF filter cartridge can be used in normal membrane housing.

Packing Dimension;

WYN-UF10A 53.5*36*28.5cm/40pcs WYN-UF10B 53.5*36*28.5cm/40pcs WYN-UF10C 37*37*53cm/50pcs WYN-UF10D 37*37*53cm/50pcs



RO MEMBRANCE

Model No.	Н	Function	Capability	Packing Dimension
VONTRON	10 inch	DRY	50/75/100GPD	34*34*37.5cm /25pcs
CSM	10 inch	WET	50/70/80/100GPD	34*34*37.5cm /25pcs
FILMTEC	10 inch	DRY	50/75/100GPD	34*34*37.5cm /25pcs
FCS	10 inch	DRY/WET	50/75/100GPD	34*34*37.5cm /25pcs
FULLCOME	10 inch	WET	50/75/100GPD	34*34*37.5cm /25pcs
FCS200	10 inch	DRY	200GPD	34*34*37.5cm /25pcs

About our maintenance

- We can put your logo on your samples and bulk orders.
- You can test your samples with Max times-three.
- For some spares ,we can dispatch them with your bulk goods.
- About the after-sales, we can solve it throught online video calling, Email, WhatsApp, and local visiting (Because of the global pandemic, now we can not fly outside China)
- Our after-sales line is open within 24hours



Thank you for watching

Anhui Viano Water Purification Co., Ltd

Add: No.23 East Road Qianshui GaoXin district Hefei China

Whatsapp/whechat: 8613635518139

Email:factory@vianowater.com

Web: www.vianowater.com