














Sichuan Mingmo Water Treatment Equipment Co.,Ltd Reverse Osmosis Systems







M.Tel:15058473947 Tel:86-028-83507199 Fax:86-028-61379299

Email: mm2842455088@163.com Whatsapp:+8615058473947







Website: www.mingmogroup.com scmmscl.en.alibaba.com www.cdmmmscl.com

MODEL	PICTURES	DESCRIPTION	MOQ	INSTALL DIMENSIONS (APPROX)	LEAD TIME	CUSTOMS CODE	PAYMENT TERM	FOB USD
MRO-500FB		Capacity: 500L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS(stainless steel) Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.55+1.1Kw	1	Size: 1530*600*1600 Weight: 300kg	20-40 days	8421219990	TT/LC/DP	2,400.00
MRO-500S		Capacity: 500L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.55+1.1Kw	1	Size: 1530*600*1600 Weight: 320kg	20-40 days	8421219990	TT/LC/DP	2,775.00
MRO-500FY		Capacity: 500L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.55+1.1Kw	1	Size: 1530*600*1600 Weight: 300kg	20-40 days	8421219990	TT/LC/DP	2,575.00
MRO-500S3		Capacity: 500L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+SS softener RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.55+1.1Kw	1	Size: 1810*600*1600 Weight: 370kg	20-40 days	8421219990	TT/LC/DP	3,050.00
MRO-500S3R		Capacity: 500L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+SS softener RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.55+1.1Kw	1	Size: 1800*600*1600 Weight: 350kg	20-40 days	8421219990	TT/LC/DP	3,150.00

MRO-1000S3		Capacity: 500L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+SS softener/water scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption: 1.75Kw	1	Size: 1850*700*1700 Weight: 480kg	20-40 days	8421219990	TT/LC/DP	4,350.00
MRO-1000F3		Capacity: 1000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+FRP softener/water scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.5Kw	1	Size: 1850*700*1700 Weight: 460kg	20-40 days	8421219990	TT/LC/DP	3,700.00
MRO-1000H		Capacity: 1000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+water scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.5Kw	1	Size: 1800*700*1700 Weight: 420kg	20-40 days	8421219990	TT/LC/DP	3,700.00
MRO-1000S		Capacity: 1000L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.5Kw	1	Size: 1800*700*1700 Weight: 450kg	20-40 days	8421219990	TT/LC/DP	4,050.00
MRO-1000S3R		Capacity: 1000L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+SS softener RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.5Kw	1	Size: 1960*700*1820 Weight: 500kg	20-40 days	8421219990	TT/LC/DP	4,400.00
MRO-1000F3A		Capacity: 1000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+FRP softener RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.5Kw	1	Size: 1850*700*1700 Weight: 460kg	20-40 days	8421219990	TT/LC/DP	4,050.00

MRO-1000F3D		<p>Capacity: 1000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+FRP softener/water scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.5Kw</p>	1	<p>Size: 1850*700*1600 Weight: 440kg</p>	20-40 days	8421219990	TT/LC/DP	3,400.00
MRO2-1000F2-2STG		<p>Capacity: 1000L/H Desalination rate: 99.8% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+water scale inhibitor RO system: High pressure pump+precision filter+RO membrane+high pressure pump+RO membrane Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.5+1.5Kw</p>	1	<p>Size: 2460*800*1750 Weight: 520kg</p>	20-40 days	8421219990	TT/LC/DP	5,350.00
MRO-1000S3N		<p>Capacity: 1000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+FRP softener/water scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.5Kw</p>	1	<p>Size: 1850*700*1700 Weight: 480kg</p>	20-40 days	8421219990	TT/LC/DP	4,250.00
MRO-1000S3EDI		<p>Capacity: 1000L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+SS softener/water scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(not included): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+3Kw</p>	1	<p>Size: 1950*750*1700 Weight: 550kg</p>	20-40 days	8421219990	TT/LC/DP	5,450.00
MRO-1500S		<p>Capacity: 1500L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.75Kw</p>	1	<p>Size: 2100*850*2050 Weight: 600kg</p>	20-40 days	8421219990	TT/LC/DP	4,650.00
MRO-1500SD		<p>Capacity: 1500L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+1.75Kw</p>	1	<p>Size: 2050*850*2050 Weight: 600kg</p>	20-40 days	8421219990	TT/LC/DP	4,550.00

MRO-2000F		Capacity: 2000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+2.25Kw	1	Size: 3200*900*2150 Weight: 700kg	20-40 days	8421219990	TT/LC/DP	5,350.00
MRO-2000FD		Capacity: 2000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+2.25Kw	1	Size: 3200*900*2150 Weight: 700kg	20-40 days	8421219990	TT/LC/DP	5,250.00
MRO-2000FT		Capacity: 2000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:0.75+2.25Kw	1	Size: 3200*900*2150 Weight: 700kg	20-40 days	8421219990	TT/LC/DP	5,450.00
MRO-3000FD		Capacity: 3000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:1+3Kw	1	Size: 3700*900*2150 Weight: 850kg	20-40 days	8421219990	TT/LC/DP	7,250.00
MRO-4000FB		Capacity: 4000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:1.25+3.75Kw	1	Size: 5000*900*2200 Weight: 1000kg	20-40 days	8421219990	TT/LC/DP	9,850.00
MRO-4000F		Capacity: 4000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:1.25+3.75Kw	1	Size: 5000*900*2200 Weight: 1000kg	20-40 days	8421219990	TT/LC/DP	10,250.00

MRO-4000FD		Capacity: 4000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:1.25+3.75Kw	1	Size: 5000*900*2200 Weight: 1000kg	20-40 days	8421219990	TT/LC/DP	10,200.00
MRO-6000FH		Capacity: 6000L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2+5.25Kw	1	Size: 5500*1000*2300 Weight: 1720kg	20-40 days	8421219990	TT/LC/DP	15,200.00
MRO-6000F		Capacity: 6000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2+5.25Kw	1	Size: 5500*1000*2300 Weight: 1720kg	20-40 days	8421219990	TT/LC/DP	14,500.00
MRO-6000FT		Capacity: 6000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2+5.25Kw	1	Size: 5500*1000*2300 Weight: 1720kg	20-40 days	8421219990	TT/LC/DP	14,650.00
MRO-8000S		Capacity: 8000L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2.25+6.75Kw	1	Size: 7000*1000*2500 Weight: 2000kg	20-40 days	8421219990	TT/LC/DP	22,850.00
MRO-8000F		Capacity: 8000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2.25+6.75Kw	1	Size: 7000*1000*2500 Weight: 1900kg	20-40 days	8421219990	TT/LC/DP	19,250.00

MRO-8000S2		Capacity: 8000L/H Desalination rate: 99.6% Pretreatment system: Water pump+SS sand filter+SS activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2.25+6.75Kw	1	Size: 7000*1000*2500 Weight: 2040kg	20-40 days	8421219990	TT/LC/DP	26,050.00
MRO-10000F		Capacity: 10000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2.75+7.25Kw	1	Size: 7200*1100*2600 Weight: 2200kg	20-40 days	8421219990	TT/LC/DP	24,300.00
MRO-10000F2		Capacity: 10000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2.75+7.25Kw	1	Size: 7200*1100*2600 Weight: 2200kg	20-40 days	8421219990	TT/LC/DP	24,500.00
MRO-12000F		Capacity: 12000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:2.75+7.5Kw	1	Size: 7500*1200*2700 Weight: 2500kg	20-40 days	8421219990	TT/LC/DP	27,900.00
MRO-15000F		Capacity: 15000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:3.5+10Kw	1	Size: 8000*1200*2800 Weight: 3000kg	20-40 days	8421219990	TT/LC/DP	33,980.00
MRO-20000FB		Capacity: 20000L/H Desalination rate: 99.6% Pretreatment system: Water pump+FRP sand filter+FRP activated carbon filter+scale inhibitor RO system: High pressure pump+RO membrane+precision filter Water storage(optional): Raw water tank+pure water tank PE or SS Control system: Automatic RO membrane cycle: 12-48months Quratz sand cycle: 15years Carbon cycle: 2-3 years Power consumption:4+12Kw	1	Size: 9000*1600*4000 Weight: 4100kg	20-40 days	8421219990	TT/LC/DP	42,500.00